AUTHOR INDEX

Aizawa, M., *see* Mizuno, K.

Antczak, D.F., *see* Byrns, G.

Asherson, G.L., Zembala, M., Colonna Romano G. & Colizzi, V. General considerations in the interpretation of I-J genetic restrictions: evidence that the antigen-binding chain of antigen-specific T-suppressor factor has two recognition sites for members of the I-J hierarchy 117

Ashman, R.B. Murine candidiasis. III. Host inflammatory responses are regulated in part by class I MHC genes 317

Axelrod, O. & Mozes, E. Mode of action of antigen-specific T-cell helper factors secreted by a T-cell line and clones 109

Balázs, C., *see* Stenszky, V.

Balázs, G., *see* Stenszky, V.

Beale, D., *see* Symons, D.B.A.

Bernoco, D., *see* Byrns, G.

Bernoco, D., *see* Kay, P.H.

Botindari, C., *see* Caruso, C.

Bowling, A.T., *see* Kay, P.H.

Brown, N.R., *see* Symons, D.B.A.

Butcher, G.W. A list of monoclonal antibodies specific for alloantigens of the rat 163

Butcher, G.W., *see* Male, D.K.

Byrns, G., Crump, A.L., Lalonde, G., Bernoco, D. & Antczak, D.F. The *ELY-1* locus controls a di-allelic alloantigenic system on equine lymphocytes 59

Caruso, C., Lo Campo, P., Botindari, C. & Modica, M.A. HLA antigens in Sicilian patients affected by chronic myelogenous leukaemia 295

Chiu, H.-C., Hsieh, R.-P., Hseih, K.-H. & Hung, T.-P. Association of HLA-DRw9 with myasthenia gravis in Chinese 203

Clarkson, C.A., *see* Symons, D.B.A.

Colizzi, V., *see* Asherson, G.L.

Colonna Romano, G., *see* Asherson, G.L.

Crepaldi, T., Peruccio, D., Lecchi, M., Resegotti, L., Grazia Guerra, M., Funaro, A. & Richiardi, P. New HLA class I-like alloantigens expressed on blast cells 219

Crump, A.L., *see* Byrns, G.

Dawkins, R. L., Martin, E., Kay, P.H., Garlepp, M.J., Wilton, A.N. & Stuckey, M.S. Heterogeneity of steroid 21-hydroxylase genes in classical congenital adrenal hyperplasia 89

Dawkins, R.L., *see* Kay, P.H.

Deans, J.P., Krowka, J.F., Mosmann, T. & Pilarski, L.M. Antigen-specific helper facor reacts with antibody to the T-cell receptor 103

Demaine, A.G., *see* Sakkas, L. I.

Dunckley, H., Gatenby, P.A., Hawkins, B., Naito, S. & Serjeantson, S.W. Deficiency of C4A is a genetic determinant of systemic lupus erythematosus in three ethnic groups 209

FARID, N.R., *see* STENSZKY, V.
FERNANDEZ, N., *see* KURPISZ, M.
FERRELL, R.E., *see* KAMBOH, M.I.
FESTENSTEIN, H., *see* KURPISZ, M.
FISCHER LINDAHL, K., *see* ROBINSON, P.J.
FRANGIONE, B., *see* GOÑI, F.R.
FUJII, H., *see* MIZUNO, K.
FUNARO, A., *see* CREPALDI, T.

GARLEPP, M.J., *see* DAWKINS, R.L.
GATENBY, P.A., *see* DUNCKLEY, H.
GOÑI, F.R. & FRANGIONE, B. Association between human IgM autoantibodies and κ chain allotypes 15
GRAZIA GUERRA, M., *see* CREPALDI, T.

HADLEY, G.A., SNIDER, M.E. & STEINMULLER, D. Strain differences in the expression of the EPA-1-restricting element 149
HAMMARSTRÖM L., DE LANGE, G.G. & SMITH, C.I.E. IgA2 allotypes determined by restriction fragment length polymorphism in IgA deficiency. Re-expression of the silent A2m(2) allotype in the children of IgA-deficient patients 197
HARADA, Y.-N., HAYAKAWA, J.-I., NODA, E. & TOMITA, T. A gene locus controlling a serum protein migrating electrophoretically in the β region of mice and detected by using a strain derived from the Japanese wild mouse (*Mus musculus molossinus*) 33
HATAYAWA, J.-I., *see* HARADA, Y.-N.
HAWKINS, B., *see* DUNCKELY, H.
HOGARTH, P.M., *see* SUTTON, V.R.
HSIEH, K.-H., *see* CHIU, H.-C.
HSIEH, R.-P., *see* CHIU, H.-C.
HUNG, T.-P., *see* CHIU, H.-C.
HUSBY, S., SCHULTZ LARSEN, F. & HYLTOFT PETERSEN, P. Genetic influence on the serum levels of naturally occurring human IgG antibodies to dietary antigens 131
HYLTOFT PETERSEN, P., *see* HUSBY, S.

INOMATA, T., *see* MIZUNO, K.

JANARDHANA, V., *see* PROPERT, D.N.
JUHASZ, F., *see* STENSZKY, V.

KAMBOH, M.I. & FERRELL, R.E. Genetic studies of low-abundance human plasma proteins. VII. Heterogeneity of the Cl_s subcomponent of the first complement component 231
KAY, P.H., DAWKINS, R.L., BOWLING, A.T. & BERNOCO, D. Heterogeneity and linkage of equine *C4* and *steroid 21-hydroxylase* genes 247
KAY, P.H., *see* DAWKINS, R.L.
KISHI, K., YASUDA, T. & UCHIDA, M. A Japanese patient with the rare Rh_{null} phenotype of the 'regulator type' 261
KLÍR, P., *see* PRAVENEC, M.
KOWALIK, I., *see* KURPISZ, M.
KOZMA, L., *see* STENSZKY, V.

KRASZITS, E., *see* STENSZKY, V.
KŘEN, V., *see* PRAVENEC, M.
KROWKA, J.F., *see* DEANS, J. P.
KURPISZ, M., FERNANDEZ, N., WITT, M., KOWALIK, I., SZYMCZYNSKI, G.A. & FESTENSTEIN, H. HLA expression on human germinal cells 23

LALONDE, G., *see* BYRNS, G.
DE LANGE, G.G., *see* HAMMARSTRÖM, L.
LECCHI, M., *see* CREPALDI, T.
LEFKOVITS, I., *see* ROBINSON, P.J.
LO CAMPO, P., *see* CARUSO, C.

MCKENZIE, I.F.C., *see* SUTTON, V.R.
MALE, D.K., PRYCE, G. & BUTCHER, G.W. Serological evidence for a defect in RT1.B (I-A) expression by the BDIX rat strain 301
MARTIN, E., *see* DAWKINS, R.L.
MATSUNO, Y., *see* MIZUNO, K.
MATSUSHITA, S., *see* SASAZUKI, T.
MILSTEIN, C.P., *see* SYMONS, D.B.A.
MIYAMOTO, H., *see* NISHIMURA, M.
MIZUNO, K., INOMATA, T., TSUCHIMOTO, S., MATSUNO, Y., NIIYAMA, T., FUJII, H., NATORI, T. & AIZAWA, M. *Ir* gene for bovine insulin in the rat maps to *RT1.*B_β 159
MODICA, M.A., *see* CARUSO, C.
MOOR-JANKOWSKI, J., *see* SOCHA, W.W.
MOSMANN, T., *see* DEANS, J.P.
MOZES, E., *see* AXELROD, P.
MUNRO, A. Symposium Report: The biological significance of the MHC 1

NAITO, S., *see* DUNCKLEY, H.
NATORI, T., *see* MIZUNO, K.
NIIYAMA, T., *see* MIZUNO, K.
NISHIMURA, M. & MIYAMOTO, H. Immunopathological influence of the A^y, *db*, *ob* and *nu* genes placed on the inbred NOD background as murine models for human type I diabetes 127
NODA, E., *see* HARADA, Y.-N.

PANAYI, G.S., *see* SAKKAS, L.I.
PARTANEN, J. Association between restriction fragment length variants of the complement C4 genes and MHC haplotypes 285
PERUCCIO, D., *see* CREPALDI, T.
PILARSKI, L.M., *see* DEANS, J.P.
PRAVENEC, M., KŘEN, V. & KLÍR, P. Assignment of the *Es-6* locus to linkage group VII of the rat (*Rattus norvegicus*) by the use of HXB recombinants inbred rat strains 313
PROPERT, D.N. & JANARDHANA, V. Occurrence of the immunoglobulin haplotypes $Gm^{1,17;23;21}$ and $Gm^{1,2,17;23;21}$ in a sample of Australian caucasians 73
PRYCE, G., *see* MALE, D. K.

RESEGOTTI, L., *see* CREPALDI, T.
RICHIARDI, P., *see* CREPALDI, T.

ROBINSON, P.J., LEFKOVITS, I. & FISHER LINDAHL, K. Molecular complexity of Qa-2 antigens demonstrated by two-dimensional gel electrophoresis 81
ROUGER, P., *see* SOCHA, W.W.
RUFFIE, J., *see* SOCHA, W.W.

SAKKAS, L.I., DEMAINE, A.G., VAUGHAN, R.W., WELSH, K.I. & PANAYI, G.S. The association of DNA variants at or near the *IgH* locus with rheumatoid arthritis 189
SASAZUKI, T. & MATSUSHITA, S. MHC-linked immune suppression genes determine the phenotype of immune response to some natural antigens in humans 99
SCHULTZ LARSEN, F., *see* HUSBY, S.
SERJEANTSON, S.W., *see* DUNCKLEY, H.
SMITH, C.I.E., *see* HAMMARSTRÖM, L.
SNIDER, M.E., *see* HADLEY, G.A.
SOCHA, W.W., ROUGER, P., RUFFIE, J. & MOOR-JANKOWSKI, J. Complexity of the Rh antigen demonstrated by comparative tests using antisera of human and primate origins 255
STEINMULLER, D., *see* HADLEY, G.A.
STENSZKY, V., BALÁZS, C., KRASZITS, E., JUHASZ, F., KOZMA, L., BALÁZS, G. & FARID, N.R. Association of goitrous autoimmune thyroiditis with HLA-DR3 in Eastern Hungary 143
STUCKEY, M.S., *see* DAWKINS, R.L.
SUTTON, V.R., WIJFFELS, G.L., WALKER, I.D., HOGARTH, P.M. & MCKENZIE, I.F.C. Genetic and biochemical characterization of antigens encoded by the *Ly-24* (Pgp-1) locus[1] 43
SYMONS, D.B.A., CLARKSON, C.A., MILSTEIN, C.P., BROWN, N.R. & BEALE, D. DNA sequence analysis of two bovine immunoglulin C_H gamma pseudogenes 273
SZYMCZYNSKI, G.A., *see* KURPISZ, M.

TAUSSIG, M.J. Recent research in organization and expression of immunoglobulin V region genes 179
TOMITA, T., *see* HARADA, Y.-N.
TSUCHIMOTO, S., *see* MIZUNO, K.
TYAN, M.L. Vitamin A-enhanced cleft palate susceptibility associated with *H-2* 239

UCHIDA, M., *see* KISHI, K.

VAUGHAN, R.W., *see* SAKKAS, L.I.

WALKER, I.D., *see* SUTTON, V.R.
WELSH, K.I., *see* SAKKAS, L.I.
WIJFFELS, G.L., *see* SUTTON, V.R.
WILTON, A.N., *see* DAWKINS, R.L.
WITT, M., *see* KURPISZ, M.

YASUDA, T., *see* KISHI, K.

ZEMBLA, M., *see* ASHERSON, G.L.

SUBJECT INDEX

A^y gene, of mouse	127
Abortion, and the MHC	6
Adrenal hyperplasia	89
Alloantigens, of rat	163
Antigens	
dietary	131
natural	99
Antigen-specific T-cell factors	103, 109, 117
Australian caucasians, IgG allotypes in	73
Autoantibodies	15
Autoimmune thyroiditis	143
BDIX rat strain	301
Blast cells, HLA class I antigens on	219
Blood groups	
human	255, 261
primate	255
$C1_s$ (complement component), heterogeneity in man	231
C4 (complement component), and *HLA* haplotypes	285
C4 RFLPs	
equine	247
human	285
C4A deficiency	209
Candidiasis, murine	317
Chorionic villus sampling (book review)	267
Chromosome 1, mouse	33
Chromosome 2, mouse	43
Cleft palate, and *H-2*	239
Congenital adrenal hyperplasia	89
D (human blood group)	255
db (diabetic) gene, of mouse	127
Diabetes mellitus, type I (IDDM)	127
Disease associations	
with Ig	143, 189, 197
with MHC	6, 11, 89, 143, 203, 209, 295
DNA sequences, bovine	273
ELY-1, of horse	59
Epa-1, of mouse	149

Epidermal alloantigen 149
Equine C4 247
  lymphocyte alloantigen 59
  steroid-21-hydroxylase 247
Es-6 (*esterase-6*) locus, of rat 313

Germinal cells, human, HLA expression on 23
Gm allotypes 73, 143
Goitrous autoimmune thyroiditis 143

H-2 and candidiasis 317
H-2 class I antigens 81, 149
H-2Qa antigens 81
Helper factors 103, 109
HLA, and adrenal hyperplasia 89
HLA, and leukaemia 295
HLA class I antigens 219
HLA, disease associations 6, 11, 89, 143, 203, 209, 295
HLA, expression on germinal cells 23
HLA haplotypes, and C4 285
HLA-D region 9, 11
HLA-DP 9, 11
HLA-DQ 9, 11
HLA-DR 9, 11, 143, 203
HLA-DR3, and autoimmune thyroiditis 143
HLA-DRw9, and myasthenia gravis 203
Human blood groups 255, 261
Human *Ig* haplotypes 73
Human IgG allotypes (Gm) 73, 143
Hungary, thyroiditis in 143

I-J 117
IDDM (insulin-dependent diabetes mellitus) 127
Idiotypes (book review) 269
Ig C_H gamma pseudogenes, bovine 273
IgA deficiency 197
IgA2 allotypes, human 197
IgG allotypes, human 73, 143
IgG levels, human, against food antigens 131
IgH locus, human, and rheumatoid arthritis 189
IgM, human 15
Immune response gene, rat, for bovine insulin 159
Immune suppression genes, human 99
Immunoglobulin allotypes and disease 143, 197

Immunoglobulin DNA sequences, bovine 273
Immunoglobulin *V* region genes 179
Insulin, rat *Ir* gene for 159

κ chain allotypes 15

Leukaemia, chronic myelogenous 295
Ly-24, of mouse 43
Lymphocyte alloantigen, equine 59

Major histocompatibility complex (book review) 265
MHC and pregnancy 6
MHC class I antigens
  human 1, 219
  mouse 81
MHC class I genes, and murine candidiasis 317
MHC class II antigens
  human 9, 11
  rat 301
MHC class III genes
  equine 247
  human 285
MHC-linked *Ir* gene, rat 159
MHC-linked *Is* genes, human
MHC molecules 99
  in tumour cells 9
  regulation of expression 6
MHC transfectants 12
Monoclonal antibodies
  (book review) 177
  list 163
Mus musculus molossinus 33
Myasthenia gravis, in Chinese 203

NOD (non-obese, diabetic) mouse 127
nu (*nude*) gene, of mouse 127

ob (*obese*) gene, of mouse 127

Pgp-1 (phagocyte glycoprotein-1), of mouse 43
Plasma proteins, low abundance, human 231

Pregnancy, and the MHC 6
Primate blood groups 255
Pseudogenes, Ig, bovine 273

Qa-2 antigens 81

Rat alloantigens, monoclonal antibodies for 163
Rat, class II antigens in 301
Rat, *Ir* gene in 159
Rats, recombinant inbred 313
Recombinant inbred rats 313
RFLPs 12, 89, 189, 197, 247, 285
  and C4, equine 247
  human 285
  and IgA deficiency 197
  and rheumatoid arthritis 189
  and steroid-21-hydroxylase
    equine 247
    human 89
Rh antigen (D) 255, 261
Rh_{null} type 261
Rheumatoid arthritis, and *IgH* 189
RT1 159, 163, 301
RT1.B antigens 301
Ruminant immunity (book review) 178

Sas-2 (serum antigenic substance-2), of mice 33
Sicily, leukaemia in, and *HLA* 295
Sperm, human, and HLA expression 23
Steroid-21-hydroxylase, RFLPs
  equine 247
  human 89
Suppressor factor 117
Systemic lupus erythematosus 209

T-cell factors 103, 109, 117
T-cell receptor 103
Thyroiditis, autoimmune 143
Transfectants, MHC 12
Tumour cells, MHC expression in 9

V genes (Ig variable region) 179
Vitamin A-induced cleft palate 239